Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23	("WANISH, PAUL" or "DEGILIO, FRANK")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 08:09
.L2	3686	"INTERNATIONAL BUSINESS MACHINES, CORP"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 08:10
L3	171	I2 and ((encrypt\$3 or decrypt\$3) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON ·	2006/11/21 09:43
L4	10	I3 and ((decrypt\$3 with (authenticat\$3 or author\$3 or validat\$3)) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 08:18
L5	66440	((encrypt\$3 or decrypt\$3) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 08:17
L6	5702	I5 and ((decrypt\$3 with (authenticat\$3 or author\$3 or validat\$3)) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 09:52
L7	4757	I6 and ((encrypt\$3 with (authenticat\$3 or author\$3 or validat\$3)) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2006/11/21 09:52
L8	360	I7 and ((comput\$3 adj "network") with (transmitt\$3 or authenticat\$3 or authoriz\$3 or author\$3 or validat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 10:43
L9	208	I8 and ((comput\$3 adj "network") with (((authenticat\$3 or applicat\$3) adj server\$1) or ("client" or "user")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 10:44
L10	171	I9 and (("identity" or "identifier" or "ID" or "identification") with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 10:45
L11	138	I10 and ((message\$1 or "data" or content\$1 or packet\$1) with (("sequence" adj "number") or "number"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 10:45

L12	95	l11 and ((decrypt\$3 or decod\$3 or decipher\$3) with (("secret" or "private" or encrypt\$3) adj key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 08:40
L13	148	I10 and ((message\$1 or "data" or content\$1 or packet\$1) with (("sequence" adj "number") or "number" or "header"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 10:46
L14	97	I13 and ((decrypt\$3 or decod\$3 or decipher\$3) with (("secret" or "private" or encrypt\$3) adj key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 10:53
L15	22	I14 and (receiv\$3 with ((("double" with encrypt\$3) or encrypt\$3 or encod\$3 or encipher\$3) adj key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 10:54
L16	2299	713/168	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 09:43
L17	1516	l16 and ((encrypt\$3 or decrypt\$3) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 10:56
L18	457	I17 and ((decrypt\$3 with (authenticat\$3 or author\$3 or validat\$3)) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 10:56
L19	415	I18 and ((encrypt\$3 with (authenticat\$3 or author\$3 or validat\$3)) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 10:57
L20	50	I19 and ((comput\$3 adj "network") with (transmitt\$3 or authenticat\$3 or authoriz\$3 or author\$3 or validat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 10:57
L21	29	I20 and ((comput\$3 adj "network") with (((authenticat\$3 or applicat\$3) adj server\$1) or ("client" or "user")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 10:58
L22	26	I21 and ((message\$1 or "data" or content\$1 or packet\$1) with (("sequence" adj "number") or "number"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 10:45
L23	19	I22 and (("identity" or "identifier" or "ID" or "identification") with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 10:50

L24	26	I21 and ((message\$1 or "data" or content\$1 or packet\$1) with (("sequence" adj "number") or "number" or "header"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 10:58
L25	19	I24 and (("identity" or "identifier" or "ID" or "identification") with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 10:58
L26	17	I25 and ((decrypt\$3 or decod\$3 or decipher\$3) with (("secret" or "private" or encrypt\$3) adj key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 10:58
L27		I26 and (receiv\$3 with ((("double" with encrypt\$3) or encrypt\$3 or encod\$3 or encipher\$3) adj key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON.	2006/11/21 10:59
L28	562	726/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 10:54
L29	260	I28 and ((encrypt\$3 or decrypt\$3) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 11:02
L30	58	I29 and ((decrypt\$3 with (authenticat\$3 or author\$3 or validat\$3)) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 11:02
L31	50	I30 and ((encrypt\$3 with (authenticat\$3 or author\$3 or validat\$3)) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 11:02
L32	9	I31 and ((comput\$3 adj "network") with (transmitt\$3 or authenticat\$3 or authoriz\$3 or author\$3 or validat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 11:02
L33	6	I32 and ((comput\$3 adj "network") with (((authenticat\$3 or applicat\$3) adj server\$1) or ("client" or "user")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 11:02
L34	5	I33 and ((message\$1 or "data" or content\$1 or packet\$1) with (("sequence" adj "number") or "number" or "header"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 11:02
L35	4	I34 and (("identity" or "identifier" or "ID" or "identification") with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON ·	2006/11/21 11:03

L36	2	I35 and ((decrypt\$3 or decod\$3 or decipher\$3) with (("secret" or "private" or encrypt\$3) adj key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 11:03
L37	2	I36 and (receiv\$3 with ((("double" with encrypt\$3) or encrypt\$3 or encod\$3 or encipher\$3) adj key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 11:03
L38	946	713/170	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 11:00
L39	634	I38 and ((encrypt\$3 or decrypt\$3) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 11:04
L40	198	I39 and ((decrypt\$3 with (authenticat\$3 or author\$3 or validat\$3)) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2006/11/21 11:05
L41	175	I40 and ((encrypt\$3 with (authenticat\$3 or author\$3 or validat\$3)) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 11:05
L42	18	l41 and ((comput\$3 adj "network") with (transmitt\$3 or authenticat\$3 or authoriz\$3 or author\$3 or validat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 11:05
L43	11	l42 and ((comput\$3 adj "network") with (((authenticat\$3 or applicat\$3) adj server\$1) or ("client" or "user")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 11:05
L44	8	I43 and ((message\$1 or "data" or content\$1 or packet\$1) with (("sequence" adj "number") or "number" or "header"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 11:05
L45	6	l44 and (("identity" or "identifier" or "ID" or "identification") with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 11:05
L46 .		I45 and ((decrypt\$3 or decod\$3 or decipher\$3) with (("secret" or "private" or encrypt\$3) adj key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2006/11/21 11:06
L47	2	I46 and (receiv\$3 with ((("double" with encrypt\$3) or encrypt\$3 or encod\$3 or encipher\$3) adj key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 11:06

L48	1274	726/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 11:04
L49	517	l48 and ((encrypt\$3 or decrypt\$3) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:32
L50	87	I49 and ((decrypt\$3 with (authenticat\$3 or author\$3 or validat\$3)) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2006/11/21 12:32
L51	73	I50 and ((encrypt\$3 with (authenticat\$3 or author\$3 or validat\$3)) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:32
L52	13	I51 and ((comput\$3 adj "network") with (transmitt\$3 or authenticat\$3 or authoriz\$3 or author\$3 or validat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:33
L53	13	I52 and ((comput\$3 adj "network") with (((authenticat\$3 or applicat\$3) adj server\$1) or ("client" or "user")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:33
L54	11	I53 and ((message\$1 or "data" or content\$1 or packet\$1) with (("sequence" adj "number") or "number" or "header"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:33
L55	9	I54 and (("identity" or "identifier" or "ID" or "identification") with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:33
L56	4	I55 and ((decrypt\$3 or decod\$3 or decipher\$3) with (("secret" or "private" or encrypt\$3) adj key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:34
L57	0	I56 and (receiv\$3 with ((("double" with encrypt\$3) or encrypt\$3 or encod\$3 or encipher\$3) adj key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:35
L58	645	705/67	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:32
L59	355	I58 and ((encrypt\$3 or decrypt\$3) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2006/11/21 12:32

L60	80	I59 and ((decrypt\$3 with (authenticat\$3 or author\$3 or validat\$3)) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:32
L61	. 69	I60 and ((encrypt\$3 with (authenticat\$3 or author\$3 or validat\$3)) with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:32
Ľ62	. 4	l61 and ((comput\$3 adj "network") with (transmitt\$3 or authenticat\$3 or authoriz\$3 or author\$3 or validat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:33
L63	1	l62 and ((comput\$3 adj "network") with (((authenticat\$3 or applicat\$3) adj server\$1) or ("client" or "user")))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:33
L64	. 1	l63 and ((message\$1 or "data" or content\$1 or packet\$1) with (("sequence" adj "number") or "number" or "header"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:34
L65	0	l64 and (("identity" or "identifier" or "ID" or "identification") with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:33
L66	3	I62 and (("identity" or "identifier" or "ID" or "identification") with (message\$1 or "data" or content\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:33
L67	3	I66 and ((message\$1 or "data" or content\$1 or packet\$1) with (("sequence" adj "number") or "number" or "header"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:34
L68	1	I67 and ((decrypt\$3 or decod\$3 or decipher\$3) with (("secret" or "private" or encrypt\$3) adj key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:35
L69	1	I64 and ((decrypt\$3 or decod\$3 or decipher\$3) with (("secret" or "private" or encrypt\$3) adj key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:35
L70	0	I68 and (receiv\$3 with ((("double" with encrypt\$3) or encrypt\$3 or encod\$3 or encipher\$3) adj key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2006/11/21 12:35
L71	0	l69 and (receiv\$3 with ((("double" with encrypt\$3) or encrypt\$3 or encod\$3 or encipher\$3) adj key\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 12:35